

~~Line 6, delete "where the element is formed".~~

~~Line 7, after "being" insert -- aligned -- ; and change "through hall" to -- elongate opening -- .~~

~~Line 8, change "element" to -- chip -- .~~

~~Line 9, change "through" to -- elongate opening -- .~~

~~Line 10, delete "hall"; and change "through hall" to -- elongate opening -- .~~

In the Specification

Kindly amend the specification as follows:

Page 1, between lines 3 and 4, insert

--CROSS REFERENCE TO RELATED APPLICATIONS

This is a divisional application of application Serial No. 09/062,720, filed April 20, 1998, which is hereby incorporated by reference in its entirety for all purposes.--

~~Page 1, lines 7 and 18, change "device" to -- chip -- .~~

~~Page 1, line 7, change "of" (second occurrence) to -- as -- .~~

~~Page 1, line 18, change "side of" to -- size as -- .~~

~~Page 2, lines 1, 2, 13, and 16, change "element" to -- chip -- .~~

~~Page 3, lines 3, 6, 9, 14, and 19, change "element" to -- chip -- .~~

~~Page 4, lines 7, 11, 17, 20 and 22, change "element" to -- chip -- .~~

~~Page 5, lines 2, 6, 11, 15 and 16, change "element" to -- chip -- .~~

a 09/062,720

Page 23, lines 5, 6 (second occurrence), 9, 11 and 16, change “element” to